ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH), and Commission Regulation (EU) 2015/830 issue date: 2018-05-02

revision date: -version: 1.0

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Chemical name: ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B /

3D PLUS

Producer: EGT system spol. s r.o.
Address: Na Kopci 38, 74781 Otice

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use: Wetter. Addition to basic nutrition, leaf nutrition, fungicides, insecticides and

acaricides.

Uses advised against: All other than recommended uses.

1.3 Details of the supplier of the safety data sheet

Supplier of SDS: EGT system spol. s r.o.
Address: Na Kopci 38, 74781 Otice

Identification No.: 27845249

Tel: +420 777 285 386

www:

Responsible person: Consulteco s.r.o., Táborská 922, 293 01 Mladá Boleslav, tel. 777331771, ing.

Radka Vokurková

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

City Hospital, Dudley Rd, Birmingham B187QH, United Kingdom Fax: +44 121 507 55 88, Emergency telephone: 844 892 0111

E-mail: mail@npis.org

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Regulation No. 1272/2008 (CLP):

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]:

Hazard pictogram(s): None.

Signal word: None.

Contain: ---

Hazard statement(s): None.

Precautionary statement(s): None.

Supplemental (hazard) information: EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

EUH210 Safety data sheet available on request.

© Consulteco s.r.o. 2012-2018 1/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH),

and Commission Regulation (EU) 2015/830

issue date: 2018-05-02

revision date: --

2.3 Other hazards:

see section 12.5

Section 3: Composition / information on ingredients

3.1 Substances

3.2 Mixtures

Name of the compound	Content (%)	CAS No. EINECS No. Index No. REACH No.	Classification Regulation 1278/200	(EC) No
Citric acid monohydrate	< 1,5	5949-29-1	Eye Irrit. 2	H319
		201-069-1		
		-		
		01-2119457026-42-0000		
Ethanol	< 1,0	64-17-5	Eye Irrit. 2	H319
		200-578-6	SCL: C > 50%	
		603-002-00-5	Flam. Liq. 2	H225
		01-2119457610-43-0000		
(ethylenedioxy)dimethanol	< 0,1	3586-55-8	Acute Tox. 4	H302
		222-720-6	Eye Dam. 1	H318
		-	Skin Irrit. 2	H315
		01-2120733841-56-0000		
Indole	< 0,1	120-72-9	Acute Tox. 4	H302
		204-420-7	Acute Tox. 3	H311
		-		
		-		

For full text of H-statements see SECTION 16

Section 4: First aid measures

4.1 Description of first aid measures

General advice: In any case, avoid chaotic behaviour. In need of medical treatment always bring

the original container with the label or safety data sheet.

Inhalation: Interrupt exposure. Move person into fresh air, keep warm and at rest.

Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with soap

and water. If irritation occurs, seek medical attention.

Eye contact: Remove contact lenses if present and start to rinse with clean water, the

affected eye wide open, from the inner corner to the outer and also under the eyelids, for at least 15 minutes. If irritation persists, seek medical attention.

Ingestion: Rinse mouth with water. Do not induce vomiting. Never give anything by mouth

to an unconscious person or having convulsions.

Protection of first aiders:

It is necessary to ensure the safety of the rescuer and the rescued too.

4.2 Most important symptoms and effects, both acute and delayed

May cause eye irritation to more sensitive people.

4.3 Indication of any immediate medical attention and special treatment needed

© Consulteco s.r.o. 2012-2018 2/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH), and Commission Regulation (EU) 2015/830

Symptomatic treatment.

2018-05-02 issue date:

revision date: version: 1.0

Section 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: The product is not flammable. Foam, powder, CO2, water mist.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Combustion products and hazardous gases: smoke, carbon monoxide, carbon

dioxide.

5.3 Advice for firefighters

Rescue teams exposed to smoke or gases must be equipped with means for eye and respiratory protection. When using in enclosed areas, an insulating respirator must be used. Cool containers exposed to fire with water mist. Segregate firefighting water separately and prevent it to enter water and soil.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, replace contaminated clothing. Avoid contact with skin and eyes, soiling of clothing and footwear. Ensure ventilation of the affected area. All persons not involved in rescue work should be taken to a safe

distance

6.2 **Environmental precautions**

Prevent leakage into the environment, avoid ingress into surface water and

sewers and soil.

6.3 Methods and material for containment and cleaning up

In case of leakage, locate and, if possible, drain the product. Residuals or smaller amounts to be absorbed in a suitable sorbent (universal sorbent, diatomaceous earth, earth, sand) and placed in suitable labelled containers and handed over to disposal in accordance with applicable regulations. By

biodegradation test, this product can be applied to fields or other agricultural

areas.

Reference to other sections

see section 7,8 and 13.

Section 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Use appropriate PPE. Use only in wellventilated areas with fresh air intake or with adequate ventilation. Do not eat, drink, smoke. After working, wash your hands. Observe statutory regulations on occupational safety and health.

Conditions for safe storage, including any incompatibilities

© Consulteco s.r.o. 2012-2018 3/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH), and Commission Regulation (EU) 2015/830

revision date:

issue date:

version: 1.0

2018-05-02

Store in well sealed original containers in dry, cool and well-ventilated areas. Store in a vertical position to prevent leakage and dripping. Keep away from

food, feed and medication.

Specific end use(s)

See section 1.2

Section 8: Exposure controls/personal protection

8.1 **Control parameters**

Exposure limits: The national occupational exposure limit values that correspond to

Union occupational exposure limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of

Commission Decision 2014/113/EU

Substance	CAS No.	PEL	NPK-P	Note
Substance	CAS NO.	(mg/m ³)	(mg/m ³)	Note
Ethanol	64-17-5	1000	3000	

DNELs:

Ethanol (CAS: 64-17-5)

Workers			General population		
Exposure	Route	Value	Exposure	Route	Value
Systemic	Dormal	343 mg/kg bw/day	Systemic	Dermal	206 mg/kg bw/day
chronic	Dermal		chronic	Dermai	
Systemic	Inhalation	950 mg/m³	Systemic	Inhalation	114 mg/m ³
chronic	IIIIaiation		chronic	Inhalation	
			Systemic	Oral	87 mg/kg bw/day
			chronic	Oral	

Citric acid monohydrate (CAS: 5949-29-1)

Component	of the environment / organisms	PNEC	Value
	Freshwater	PNEC water, fresh.	0,44 mg/L
Inland	Sediment (freshwater)	PNEC sed., fresh.	34,6 mg/kg sediment dw
illiallu	Soil	PNEC soil	33,1 mg/kg soil dw
	Microorganisms in sewage treatment	PNEC sew. treat.	1000 mg/L
Sea	Marine water	PNEC water, mar.	0,044 mg/L
	Sediment (marine water)	PNEC sed., mar.	3,46 mg/kg sediment dw

Ethanol (CAS: 64-17-5)

Compone	ent of the environment / organisms	PNEC	Value
	Freshwater	PNEC water, fresh.	0,96 mg/L
	Freshwater - Intermittent releases	PNEC water, fresh.	2,75 mg/L
Inland	Sediment (freshwater)	PNEC sed., fresh.	3,6 mg/kg sediment dw
	Soil	PNEC soil	0,63 mg/kg soil dw
	Microorganisms in sewage treatment	PNEC sew. treat.	580 mg/L
	Marine water	PNEC water, mar.	0,79 mg/L
Sea	Sediment (marine water)	PNEC sed., mar.	2,9 mg/kg sediment dw

4/11 © Consulteco s.r.o. 2012-2018

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH),

and Commission Regulation (EU) 2015/830

issue date: 2018-05-02

revision date: -version: 1.0

Predators	PNEC oral., pred.	0,38 g/kg food
-----------	-------------------	----------------

DNELs and PNECs values for the other components of the mixture haven't been determined.

8.2 Exposure controls

Appropriate engineering controls: Technical measures appropriate working procedures have priority over

personal protective equipment.

Observe the usual hygiene principles. Do not eat, drink, smoke. Before breaks

and after work wash your hands with warm water and soap.

Individual protection measures

Respiratory protection: Not needed. In case of dust production use mas with suitable mask / filter (type

ABEK - EN14387 - anti-gas and combined filters; type P - EN 143 - filter against particles; type FFP3/FFP2 - EN 149 - half mask against particles; EN 142 -

mouthpieces).

Hand protection: Protective working gloves (EN 374-1, min. Class 2). Observe the manufacturer's

exact instructions, including the time of use. Replace damaged gloves.

Eye / face protection: Safety glasses with side-plates or facial shields (EN 166).

Skin protection: Working clothes (EN 340) and footwear (EN 347). Protective clothing against

liquid chemicals (EN 14605).

Thermal hazards: None.

Environmental exposure controls: Prevent from leakage into the environment.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid Colour: Brown

Odour: No data available.
Odour threshold: No data available.

pH: 7-9

Melting point/freezing point (°C): No data available.

Initial boiling point and boiling range 90-100

(°C):

Flash point (°C):

Evaporation rate:

Flammability (solid, gas):

Upper/lower flammability or explosive

No data available.

No data available.

No data available.

limits:

Vapour pressure (20 °C):

Vapour pressure (50 °C):

Vapour density:

No data available.

No data available.

No data available.

Relative density (g/cm3, 20 °C): 1,2

Solubility(ies) (20 °C): No data available. Partition coefficient: n-octanol/water: No data available.

Auto-ignition temperature:

Decomposition temperature:

Viscosity (20 °C):

Refractive index (20 °C)

Oxidising properties:

Explosive properties:

No data available.

No data available.

No data available.

No oxidising properties.

No explosive properties.

© Consulteco s.r.o. 2012-2018 5/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH), and Commission Regulation (EU) 2015/830 issue date: 2018-05-02

revision date: -version: 1.0

9.2 Other information

VOC (%): No data available. Dry matter content: No data available.

Additional information: --

Section 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable at normal conditions.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid temperatures under 0°C.

10.5 Incompatible materials

Strong acids and bases.

10.6 Hazardous decomposition products

Hazardous decomposition products do not occur under normal conditions.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicity of the mixture was not tested.

Individual components Ethanol (CAS: 64-17-5)

Acute toxicity:

Test type	Results	Exposure	Tested organisms
OECD 401, key study	10470 mg/kg bw [LD50]	oral	rat
OECD 403, key study	116,9 mg/L air [LC50]	inhalation	rat
OECD 403, key study	>60 000 ppm [LC50]	inhalation	mouse

Serious eye damage / irritation:

Test type	Results	Exposure	Tested organisms
OECD 405, key study	Category 2A (irritating to eyes)	Eye	rabbit

Skin corrosion / irritation:

Test type	Results	Exposure	Tested organisms
OECD 404, key study	not irritating	Skin	rabbit

Respiratory or skin sensitisation:

Test type	Results	Exposure	Tested organisms
OECD 406, key study	not sensitising	Skin	guinea pig

STOT - single exposure:

Test type Results Exposure Tested organisms

© Consulteco s.r.o. 2012-2018 6/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH),

issue date: 2018-05-02 revision date: --

version:

1.0

and Commission Regulation (EU) 2015/830

No data available.	No data available.		
--------------------	--------------------	--	--

STOT - repeated exposure:

Test type		Exposure	Tested organisms
	10 ml/kg of mixture		
	containing 16,25%		
OECD 408, key study	ethanol [NOAEL]	oral	rat
	4 ml/Kg of pure ethanol		
	[LOAEL]		

Carcinogenicity:

Test type	Results	Exposure	Tested organisms
OECD 453, key study	>= 1,3 mg/L air [NOAEC]	inhalation:	rat
OLCD 455, key study	2- 1,3 mg/L am [NOALC]	vapour	lat

Germ cell mutagenicity:

Test type	Results	Exposure	Tested organisms
OECD 478, key study	ambiguous	oral: gavage	mouse

Reproductive toxicity:

Test type	Results	Exposure	Tested organisms
OECD 416, key study	15 % in drinking water	oral: drinking	mouso
OECD 410, key study	[NOAEL]	water	mouse

Aspiration hazard:

Test type	Results	Exposure	Tested organisms
	No data available.		

Citric acid monohydrate (CAS: 5949-29-1)

Acute toxicity:

Test type	Results	Exposure	Tested organisms
	No data available.		

Serious eye damage / irritation:

Test type	Results	Exposure	Tested organisms
OECD 405, key study	not irritating	Eye	rabbit

Skin corrosion / irritation:

Test type	Results	Exposure	Tested organisms
OECD 404, supporting study	slightly irritating	Skin	rabbit

Respiratory or skin sensitisation:

Test type	Results	Exposure	Tested organisms
	No data available.		

© Consulteco s.r.o. 2012-2018 7/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH), and Commission Regulation (EU) 2015/830 issue date: 2018-05-02 revision date: --

version: 1.0

STOT - single exposure:

Test type	Results	Exposure	Tested organisms
	No data available.		

STOT - repeated exposure:

Test type	Results	Exposure	Tested organisms
supporting study	4000 mg/kg bw/day	anal	rat
supporting study	[NOAEL]	oral	rat
supporting study	1000 mg/kg bw/day	oral	mauca
supporting study	[NOAEL]	oral	mouse

Carcinogenicity:

Test type	Results	Exposure	Tested organisms
	No data available.		

Germ cell mutagenicity:

Test type	Results	Exposure	Tested organisms
key study	negative	oral: gavage	rat

Reproductive toxicity:

Test type	Results	Exposure	Tested organisms
	No data available.		

Aspiration hazard:

Test type	Results	Exposure	Tested organisms
	No data available.		

Section 12: Ecological information

12.1 Toxicity

Ethanol (CAS: 64-17-5)

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish:	Lepomis macrochirus	15400 mg/L [LC50] / 96 h	
Acute toxicity to invertebrates	Daphnia magna	> 10000 mg/L [EC50] / 48 h	
Acute toxicity to aquatic algae:	Pseudokirchneriella subcapitata	ca. 22000 mg/L [EC50] / 96 h	OECD 201

Citric acid monohydrate (CAS: 5949-29-1)

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish:	Leuciscus idus melanotus	440 mg/L [LC50] / 48 h	OECD 203
Acute toxicity to invertebrates	Daphnia magna	1535 mg/L [LC50] / 24 h	
Acute toxicity to aquatic algae:	Scenedesmus	640 mg/L [TT] / 8 d	
Acute toxicity to aquatic algae.	quadricauda	425 mg/L [NOEC] / 8 d	

12.2 Persistence and degradability

© Consulteco s.r.o. 2012-2018 8/11

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH),

and Commission Regulation (EU) 2015/830

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

The mixture does not meet the criteria for PBT or vPvB in accordance with

issue date:

revision date:

2018-05-02

1.0

Annex XIII.

12.6 Other adverse effects

Test report No. 1065/2012, produced by the Beekeeping Research Institute

6/2012, demonstrates product safety for bees.

Section 13: Disposal considerations

13.1 Waste treatment methods

Catalogue No. of mixture waste:

02 01 09 - Agrochemical waste other than those mentioned in 02 01 08

Waste codes / waste designations

according to LoW:

15 01 02 - Plastic packaging

Recommended procedure for mixture

waste disposal:

After dilution, it is possible to spray it on the compost, on the field after $% \left(1\right) =\left(1\right) \left(1\right) \left($

harvesting the grain or on the manure.

Recommended procedure for

packaging disposal:

Empty packs of the product with plenty of water to achieve the minimum recommended dilution for application. Apply the solution obtained exclusively on the treated plot. Empty containers can be returned to the manufacturer for re-use or deposited in separate waste, or can be handed over to persons

authorized to dispose of hazardous waste.

Physical / chemical properties that may No data available.

affect waste treatment method:

Sewage disposal-relevant information: Residues of an unused product, which is not used as a product, as well as

packaging contaminated with unusable, degraded product, is classified as hazardous waste, must not be discharged into sewers, waterways and drinking water sources and must be handed over to places for this purpose designated

by the state administration authorities.

Other disposal recommendations: Dispose in accordance with the valid legislation.

Section 14: Transport information

It's not dangerous goods according to ADR.

	Type of transport	ADR/RID	IMDG	ICAO / IATA
14.1	UN number	no	no	no
14.2	UN proper shipping name	no	no	no
14.3	Transport hazard class(es)	no	no	no
	Classification code:	no	no	no
	Hazard identification No.:	no	no	no
	Labels:	no	no	no
14.4	Packaging group	no	no	no

© Consulteco s.r.o. 2012-2018 9/11

SAFETY DATA SHEET ENERGEN CLEANSTORM / ENERGEN

CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH),

and Commission Regulation (EU) 2015/830

issue date: 2018-05-02

revision date: -version: 1.0

14.5 Environmental hazards

None.

14.6 Special precautions for user

Limited and excepted quantities: None.

Transport category: None.

Tunnel restriction code None.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

all as amended and implementing regulations including:

Regulation (EC) No 1272/2008 Regulation (EC) No 1907/2006

Regulation (EC) No 2003/2003 relating to fertilisers

Veterinary approval number CZ 72710186

15.2 Chemical safety assessment

Has not been done. Assessment of individual registered components of the mixture

was carried out as part of the registration process substances.

Section 16: Other information

Complete text of Hazard statements from section 3

H-statements H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.

Abbreviations and acronyms: PBT Persistent, bioacumulative and toxic

vPvB Very persistent and very bioacumulative VOC Volatile organic substances content

CAS Chemical Abstracts Service

EINECS European Inventory of Existing Commercial chemical Substances

LD50 Lethal dose for 50% LD0 Lethal dose for 0%

LC50 Lethal concentration for 50% EC50 Effect concentration for 50% LC0 Lethal concentration for 0% NOEL No observable effect level

NOAEL No observable adverse effect level

NOAEC No observable adverse effect concentration.

LOEL Lowest observable effect level.

LOAEL Lowest observable adverse effect level.

LOEC Lowest observable effect concentration.

© Consulteco s.r.o. 2012-2018

ENERGEN CLEANSTORM / ENERGEN CLEANSTORM B / 3D PLUS

according to EC Regulation No. 1907/2006 (REACH), and Commission Regulation (EU) 2015/830 issue date: 2018-05-02 revision date: --

version: 1.0

LOAEC Lowest observable adverse effect concentration.

NEL No effect level.

DNEL Derived no-effect level

PNEC Predicted no-effect concentration
OEL Occupational Exposure Limit
STEL Short Term Exposure Limit

TT Toxicity Threshold

Indication of changes: first edition.

This first edition is in accordance with Regulation (EC) no. 1272/2008 (CLP).

Key literature references and sources for data:

Information from the producer

Material safety data sheets of the components

Database of registered substances and information about them from ECHA

Applicable legislation related to the contents of the safety data sheet.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008: calculation method.

Instructions for training:

Workers who come into contact with hazardous substances/mixtures must be in the necessary extent informed about the effects of these substances/mixtures, about the ways how to deal with them.

Workers must be in the necessary extent informed with protective measures, the principles of first aid, with the necessary sanitation practices and procedures for liquidation of failures and accidents.

A person dealing with this chemical product must be familiar with the safety rules and the data given in the MSDS.

Persons transporting hazardous substances must be familiar with the guidelines for emergency response in accordance with the regulations of ADR / RID.

Other information:

The above information describes the conditions for safe handling and corresponds with current knowledge of the manufacturer.

The manufacturer bears responsibility for the above described properties of the product when used according to specifications.

The user is responsible for determining suitability of product for specific purposes and adapt security measures if such application is contrary to the manufacturer's recommendations.

© Consulteco s.r.o. 2012-2018 11/11